

OfficeMart

#Sololosmejoresmuebles



EXPLORE THE COLLECTION



BEVCO Proudly Manufactures...

Table of Contents

POLYURETHANE CHAIRS

- 06 Dura
- 08 Everlast
- 10 Brevia

UPHOLSTERED CHAIRS

- 11 Mesh
- 12 Integra
- 14 Doral
- 16 Lexington
- 17 Lexington-E
- 18 Westmound
- 19 Evanston
- 20 Carrington

PLYWOOD

- 21 Plywood

BACKLESS STOOLS

- 22 Versa
- 23 Ergolux
- 24 Repair Stools

SIT STANDS

- 25 Standard & Deluxe

RESOURCES

- 26 Sample Program
- 26 Measuring Seat Height
- 27 Chair Configurator



Polyurethane Chairs

Page 6–10



Upholstered Chairs

Page 11–20



Backless Stools

Page 22–24



Experience the BEVCO difference.

Where Quality Meets Comfort

As a family-owned company, we take great pride in the work we do. Since our inception, over 70 years ago, BEVCO has built one of the brightest, most passionate teams in America. The BEVCO experience is driven by our people, process and products.

BEVCO is committed to providing safe, ergonomic, high-quality seating solutions by following industry standards in our product development process. We understand the importance that proper seating has on your health and your environment.

From the initial phases of product development through product creation, we take a customer-centered approach that focuses on creating ergonomic seating solutions that provide a more customer-satisfying experience. You can have confidence that BEVCO products comply with ANSI/BIFMA & CAL 117 standards.

Our team is passionate about delivering high quality, durable seating solutions. All of our chairs are custom-built to suit your seating requirements ensuring that you receive the lowest total cost of ownership throughout the life of your product. BEVCO offers standard task/office seating, ESD, Cleanroom and ESD/Cleanroom seating solutions.

Exceeding your expectations is the cornerstone of how we operate. Whether it's simplifying the product selection process or taking care of any concerns post-sale, your needs will always be handled with exceptional care and expertise.

We continue to operate under our founding values of honesty, integrity and excellence. With passion and hard work, BEVCO will continue to serve your ergonomic seating needs.



Learn more about the BEVCO difference.
Visit our website: bevco.com/about

A Well-Adjusted Workplace

The risk of musculoskeletal disorders can be significantly reduced by ensuring that your chair is properly adjusted to conform to the body and the environment it is being used in. Evaluate features such as seat size and depth, back height, arm height, chair height and seat/backrest tilt to properly select and adjust your chair.

CHAIR TILT

Chairs have either no tilt options or a variety of tilt control options to properly position the chair for maximum comfort:

- 2 WAY** **NO Seat or Backrest Tilt.**
Seat height adjustment. Backrest height and depth adjustment.
- 3 WAY** **Articulating Seat and Backrest Tilt.**
The angle of the seat and backrest are adjusted simultaneously. Seat height adjustment. Backrest height adjustment.
- 4 WAY** **Independent Seat and Backrest Tilt.**
The angle of the seat and angle of the backrest can be adjusted independently of each other. Seat height adjustment. Backrest height adjustment.
- R ROCKER** **Rocker Tilt.**
Four lever system provides a 2:1 ratio of synchronized seat and backrest movement, rocking tension adjustment and seat/backrest angle tilt. Seat height adjustment. Only available on select desk height models.



BACK HEIGHT

Backrest slides up and down and locks in place to ensure proper lumbar adjustment.

SEAT DEPTH

Backrest slides in and out, on non-tilt models, to provide an easy adjustment to create additional room between the seat cushion and the backrest.

SEAT HEIGHT

Chair can be raised or lowered to numerous height ranges varying between desk, mid & tall height.

ERGONOMIC RECOMMENDATIONS

The **BACKREST HEIGHT** adjustments provide proper lumbar back support to promote good posture, supporting the natural inward curve of the lower back.

SEAT DEPTH should be adjusted so there's at least 2 ½" in-between the edge of the chair's seat pad and the back of the knee. Adequate seat depth allows the user to use the lower portion of the backrest without creating pressure on the back of the knees.

SEAT HEIGHT should be adjusted so feet are flat on the floor or footring with the upper legs angled slightly downward to improve lower body circulation. The torso-to-thigh angle should not be less than 90°.

Adjust the **TILT** of the chair to a reclined posture of 100° to 110°. The neck and shoulders should be relaxed. The lower arms should be +/-90° angles, preferably resting on the chairs armrests so that the wrists are straight.

BEVCO & the Environment

As members of ANSI/BIFMA, BEVCO is proud to help create healthy, productive environments. Our design philosophy encourages sustainable decisions at each phase of the design process to reduce the negative impact on the environment while improving the overall health of the occupants. We continue to invest in better materials, methods, and manufacturing practices to foster value and innovation.

The majority of Bevco seating products are certified GREENGUARD Gold in North America.



GREENGUARD Gold Certification offers stricter certification criteria, considering safety factors to account for sensitive individuals such as children and the elderly, and ensures that our products are acceptable for use in environments such as schools and healthcare facilities.

The GREENGUARD Gold Certification requirements comply with the State of California's Department of Public Health Services Standard Practice for Specification Section 01350 (California Section 01350) for testing chemical emissions from building products used in schools and other environments. As such, GREENGUARD Gold Certified products can be used to earn valuable credits in the CHPS Best Practices Manual for K-12 schools, the US Green Building Council's LEED® Green Building Rating Systems, the Green Guide for Healthcare, the NAHB Green Building Guidelines, Green Globes, Regreen and many other building codes, standards and specifications.

BEVCO chairs can be manufactured to meet the demands of most critical environment applications.



BEVCO offers ESD seating solutions for manufacturing facilities that produce PCBs and other electronic components, technical production facilities and environments dealing with delicate medical electronics. BEVCO ESD chairs are designed to meet ANSI/ESD STM12.1-2013 standards.



BEVCO's line of ergonomic cleanroom chairs are ideal for applications within the semi-conductor, aerospace, bioscience, pharmaceutical, computer, medical device, medical equipment and munitions industries. Each cleanroom chair is designed to meet the particulate goals of ISO 14644-1 with testing by an independent laboratory to certify ISO 4, 5, 6, 7 compliance.



BEVCO's ESD safe cleanroom seating solutions are for controlled environment applications that require static control. This line of BEVCO chairs are static dissipative when measured to the ANSI/ESD STM12.1-2013 standards and have been tested by an independent laboratory to certify ISO 4, 5, 6, 7 compliance.



All BEVCO upholstered chairs pass CAL 117. Components used in seating, such as foam and fabric, are tested individually for flammability characteristics. This is a minimum standard for all furniture offered for sale in California. BEVCO is not responsible for Customers Own Material (COM) upholstery fire code compliance.

TO LEARN MORE, VISIT BEVCO.COM OR CALL 800-864-2991

POLYURETHANE CHAIRS

7000D Series

DURA SERIES

BEVCO's DURA series is specifically designed for outstanding comfort and long-lasting use in the toughest workplace environments. These durable chairs offer total body support with advanced ergonomic features that improve productivity and reduce fatigue.

Rugged self-skinned polyurethane provides excellent cushioning properties while offering high impact resistance and flexibility in a wider, more comfortable seat at a higher weight capacity.

Cleanroom models are certified by an independent laboratory to meet ISO 4 and ISO 5 specifications of ISO 14644-1.



FEATURED MODEL
7501D



DIMENSIONS

SEAT

19 ¼" W x 17 ¼" D
1 ½" Thick

BACK

15 ½" W x 14 ½" H
1" Thick



AVAILABLE MODELS

Height Range	Base Style	Seat Height Adjustment	Adjustment Mechanism	Footring	Standard Model #	Cleanroom ISO 4 Model #	Cleanroom ISO 5 Model #
DESK	25" Black Nylon	15" – 20"	2 Way	-	7000D	-	7000DC
			3 Way	-	7001D	-	7001DC
			4 Way	-	7002D	-	7002DC
	25" Polished Aluminum	14 ½" – 19 ½"	2 Way	-	7050D	7050DC	-
			3 Way	-	7051D	7051DC	-
			4 Way	-	7052D	7052DC	-
MID	27" Black Nylon	19" – 26 ½"	2 Way	20" Adj. Chrome	7300D	-	7300DC
			3 Way	20" Adj. Chrome	7301D	-	7301DC
			4 Way	20" Adj. Chrome	7302D	-	7302DC
	27" Polished Aluminum	18 ½" – 26"	2 Way	20" Adj. Chrome	7350D	7350DC	-
			3 Way	20" Adj. Chrome	7351D	7351DC	-
			4 Way	20" Adj. Chrome	7352D	7352DC	-
	22" Black Tubular Steel	19" – 24'	2 Way	19" Welded Chrome	7200D	-	-
			3 Way	19" Welded Chrome	7201D	-	-
			4 Way	19" Welded Chrome	7202D	-	-
	22" Chrome Tubular Steel	19" – 24'	2 Way	19" Welded Chrome	-	7210DC	-
			3 Way	19" Welded Chrome	-	7211DC	-
			4 Way	19" Welded Chrome	-	7212DC	-
TALL	27" Black Nylon	21" – 31"	2 Way	20" Adj. Chrome	7500D	-	7500DC
			3 Way	20" Adj. Chrome	7501D	-	7501DC
			4 Way	20" Adj. Chrome	7502D	-	7502DC
	27" Polished Aluminum	20 ½" – 30 ½"	2 Way	20" Adj. Chrome	7550D	7550DC	-
			3 Way	20" Adj. Chrome	7551D	7551DC	-
			4 Way	20" Adj. Chrome	7552D	7552DC	-
	22" Black Tubular Steel	24" – 29"	2 Way	19" Welded Chrome	7600D	-	-
			3 Way	19" Welded Chrome	7601D	-	-
			4 Way	19" Welded Chrome	7602D	-	-
	22" Chrome Tubular Steel	24" – 29'	2 Way	19" Welded Chrome	-	7610DC	-
			3 Way	19" Welded Chrome	-	7611DC	-
			4 Way	19" Welded Chrome	-	7612DC	-

ACCESSORIES

ARMS

Arms available on tilt models only; must be ordered with chair.



AA

Standard and CR Models

AVAILABLE COLORS



BLACK

CASTERS

Casters add 2" to seat height range.



HEAVY DUTY 3" HARD FLOOR CASTERS

Standard: 3750S/5



POLYURETHANE CHAIRS

7000 Series

EVERLAST SERIES

BEVCO's EVERLAST series is specifically designed for outstanding comfort, safety and long-lasting use in the toughest technical environments. These durable chairs offer total body support with advanced ergonomic features that improve productivity and reduce fatigue.

ESD models meet ANSI/ESD STM12.1-2013 standards and feature six grounding points - ESD glides/casters and a brass drag chain.

Cleanroom models are certified by an independent laboratory to meet ISO 4 specifications of ISO 14644-1.

ESD/Cleanroom models meet both ESD and designated cleanroom standards.



FEATURED MODEL

7501 with AA arms and 3850S/5 casters

DIMENSIONS

SEAT

18 ½" W x 17" D
1 ½" Thick

BACK

16 ½" W x 12 ½" H
1" Thick



AVAILABLE MODELS

Height Range	Base Style	Seat Height Adjustment	Adjustment Mechanism	Footring	Standard Model #	ESD Model #	Cleanroom ISO 4 Model #	ESD/CR ISO 4 Model #
DESK	25" Black Nylon	15" – 20"	2 Way	-	7000	-	7000C1	-
			3 Way	-	7001	-	7001C1	-
			4 Way	-	7002	-	7002C1	-
	25" Polished Aluminum	14 ½" – 19 ½"	2 Way	-	7050	7050E	7050C1	7050E1
			3 Way	-	7051	7051E	7051C1	7051E1
			4 Way	-	7052	7052E	7052C1	7052E1
MID	27" Black Nylon	19 ½" – 26 ½"	2 Way	18" Adj. Chrome	7300	-	7300C1	-
			3 Way	18" Adj. Chrome	7301	-	7301C1	-
			4 Way	18" Adj. Chrome	7302	-	7302C1	-
	27" Polished Aluminum	17 ½" – 25"	2 Way	18" Adj. Chrome	7350	7350E	7350C1	7350E1
			3 Way	18" Adj. Chrome	7351	7351E	7351C1	7351E1
			4 Way	18" Adj. Chrome	7352	7352E	7352C1	7352E1
	22" Black Tubular Steel	19" – 24"	2 Way	19" Welded Chrome	7200	-	-	-
			3 Way	19" Welded Chrome	7201	-	-	-
			4 Way	19" Welded Chrome	7202	-	-	-
	22" Chrome Tubular Steel	19" – 24"	2 Way	19" Welded Chrome	-	7210E	7210C1	7210E1
			3 Way	19" Welded Chrome	-	7211E	7211C1	7211E1
			4 Way	19" Welded Chrome	-	7212E	7212C1	7212E1
TALL	27" Black Nylon	21" – 31"	2 Way	18" Adj. Chrome	7500	-	7500C1	-
			3 Way	18" Adj. Chrome	7501	-	7501C1	-
			4 Way	18" Adj. Chrome	7502	-	7502C1	-
	27" Polished Aluminum	20 ½" – 30 ½"	2 Way	18" Adj. Chrome	7550	7550E	7550C1	7550E1
			3 Way	18" Adj. Chrome	7551	7551E	7551C1	7551E1
			4 Way	18" Adj. Chrome	7552	7552E	7552C1	7552E1
	22" Black Tubular Steel	24" – 29"	2 Way	19" Welded Chrome	7600	-	-	-
			3 Way	19" Welded Chrome	7601	-	-	-
			4 Way	19" Welded Chrome	7602	-	-	-
	22" Chrome Tubular Steel	24" – 29"	2 Way	19" Welded Chrome	-	7610E	7610C1	7610E1
			3 Way	19" Welded Chrome	-	7611E	7611C1	7611E1
			4 Way	19" Welded Chrome	-	7612E	7612C1	7612E1

ACCESSORIES

ARMS

Arms available on tilt models only; must be ordered with chair.



AA

Standard and CR Models



AAE

ESD & ESD/CR Models

AVAILABLE COLORS

*ESD & ESD/CR only available in Black



BLACK



BLUE



GRAY

CASTERS

Casters add 1" to seat height range.



HARD FLOOR CASTERS

Standard:
5-star: 3850S/5
Tubular: CAD5S/5
ESD: CARD5S



CARPET CASTERS

Standard:
5-star: 3850/5
Tubular: CAD/5



SPECIALTY CASTERS

INTERVAL BRAKING
Standard: IBCS
ESD: IBCS-ESD

POLYURETHANE CHAIRS

V7 Series

BREVA SERIES

BEVCO's VALUE-LINE BREVA series offers the same durability as other polyurethane seating solutions with a smaller range of configuration options.

The economical way to stay productive and comfortable. These durable chairs offer total body support with ergonomic features for industrial and institutional daily use.

Rugged self-skinned black polyurethane seat and back resist stains and damage from punctures, grease, water and most chemicals.



FEATURED MODEL
V7507HC



DIMENSIONS

SEAT
18" W x 17" D
1½" Thick

BACK
17" W x 12" H
1½" Thick



Height Range	Base Style	Casters or Glides	Seat Height Adjustment	Footring	Model #
DESK	25" Black Nylon	Mushroom Glides	15" – 20"	-	V7007MG
		Carpet Casters	16" – 21"	-	V7007CC
		Hard Floor Casters	16" – 21"	-	V7007HC
MID	27" Black Nylon	Mushroom Glides	18" – 25 ¾"	18" Adj. Chrome	V7307MG
		Carpet Casters	19" – 26 ¾"	18" Adj. Chrome	V7307CC
		Hard Floor Casters	19" – 26 ¾"	18" Adj. Chrome	V7307HC
TALL	27" Black Nylon	Mushroom Glides	21 ½" – 31"	18" Adj. Chrome	V7507MG
		Carpet Casters	22 ½" – 32"	18" Adj. Chrome	V7507CC
		Hard Floor Casters	22 ½" – 32"	18" Adj. Chrome	V7507HC

UPHOLSTERED CHAIRS

MESH SERIES

SUPERIOR COMFORT WITH THE EXECUTIVE MESH CHAIR

Designed for the ultimate experience in support and durability, while providing contemporary features and functionality. Enjoy the benefit of airflow to keep cool, dry and feeling fresh. A new, wire activated control mechanism provides unmatched adjustability for simple and effortless modifications providing maximum enjoyment.

The design is also mindful of our environment, constructed from 95% recycled materials and GreenGuard certified, promoting environmental health and safety.

FEATURES & BENEFITS

- Waterfall seat promotes lower body circulation
- 2" built-in seat slider depth adjustment
- 2 ½" adjustable height lumbar support
- 90° - 100° - 110° backrest tilt/rocking features with adjustable tension control
- 2 ½" armrest height adjustment
- +/- 20° armrest inward & outward swivel adjustment
- 5-star polished aluminum base
- Multi-surface casters
- Includes tool kit for easy assembly

DIMENSIONS

SEAT

20 ½"W x 19 ½"D

BACK

20 ½"W x 23"H

OVERALL

26 ½"W x 24 ½"D

44"H

FEATURED MODEL


M6088MM

Mesh Back/Mesh Seat

Also available: M6088MU

Mesh Back/Upholstered Seat





UPHOLSTERED CHAIRS

6000/9000 Series


INTEGRA SERIES

BEVCO's INTEGRA series chairs offer around-the-clock reliability for a variety of workplace environments. Backrest styles are uniquely shaped for full back support and come standard with a heavy-duty polypropylene back shell to protect the upholstery. The chairs resilient high-density foam provides long-lasting comfort.

ESD models meet ANSI/ESD STM12.1-2013 standards and feature six grounding points - ESD glides/casters and a brass drag chain. Cleanroom models are certified by an independent laboratory to meet ISO 4, ISO 5, ISO 6, and ISO 7 specifications of ISO 14644-1. ESD/Cleanroom models meet both ESD and designated cleanroom standards.

UPHOLSTERY OPTIONS

STANDARD



ESD



CR & ESD/CR



DIMENSIONS

SEAT

20" W x 18" D
3" Thick

MEDIUM BACK

17 1/2" W x 16" H
3" Thick

LARGE BACK

17 1/2" W x 19" H
3" Thick

FEATURED MODEL

9551M-S in black fabric



AVAILABLE MODELS

Height Range	Base Style	Back Size	Seat Height Adjustment	Adjustment Mechanism	Footring	Standard Model #	ESD Model #	Cleanroom ISO 4 Model #	Cleanroom ISO 5 Model #	ESD/CR ISO 4 Model #
DESK	25" Black Nylon	Medium	17" – 22"	2 Way	-	6000M	-	-	-	-
				3 Way	-	6001M	-	-	-	-
				4 Way	-	6002M	-	-	-	-
		Large	17" – 22"	Rocker	-	6003M	-	-	-	-
				2 Way	-	6000	-	-	-	-
				3 Way	-	6001	-	-	-	-
			18" – 23"	4 Way	-	6002	-	-	-	-
				Rocker	-	6003	-	-	-	-
	25" Polished Aluminum	Medium	15 ½" – 21"	2 Way	-	9050M-S	9050M-E	9050M-C1	9050M-C2	9050M-E1
				3 Way	-	9051M-S	9051M-E	9051M-C1	9051M-C2	9051M-E1
				4 Way	-	9052M-S	9052M-E	9052M-C1	9052M-C2	9052M-E1
		Large	16 ½" – 22"	Rocker	-	9053M-S	-	-	-	-
				2 Way	-	9050L-S	9050L-E	9050L-C1	9050L-C2	9050L-E1
				3 Way	-	9051L-S	9051L-E	9051L-C1	9051L-C2	9051L-E1
			16 ½" – 22"	4 Way	-	9052L-S	9052L-E	9052L-C1	9052L-C2	9052L-E1
				Rocker	-	9053L-S	-	-	-	-
MID	27" Black Nylon	Medium	20" – 27 ½"	2 Way	20" Adj Chrome	6300M	-	-	-	-
				3 Way	20" Adj Chrome	6301M	-	-	-	-
				4 Way	20" Adj Chrome	6302M	-	-	-	-
		Large	20" – 27 ½"	2 Way	20" Adj Chrome	6300	-	-	-	-
				3 Way	20" Adj Chrome	6301	-	-	-	-
				4 Way	20" Adj Chrome	6302	-	-	-	-
	27" Polished Aluminum	Medium	19" – 26 ½"	2 Way	20" Adj Chrome	9350M-S	9350M-E	9350M-C1	9350M-C2	9350M-E1
				3 Way	20" Adj Chrome	9351M-S	9351M-E	9351M-C1	9351M-C2	9351M-E1
				4 Way	20" Adj Chrome	9352M-S	9352M-E	9352M-C1	9352M-C2	9352M-E1
		Large	19" – 26 ½"	2 Way	20" Adj Chrome	9350L-S	9350L-E	9350L-C1	9350L-C2	9350L-E1
				3 Way	20" Adj Chrome	9351L-S	9351L-E	9351L-C1	9351L-C2	9351L-E1
				4 Way	20" Adj Chrome	9352L-S	9352L-E	9352L-C1	9352L-C2	9352L-E1
TALL	27" Black Nylon	Medium	24" – 34"	2 Way	20" Adj Chrome	6500M	-	-	-	-
				3 Way	20" Adj Chrome	6501M	-	-	-	-
				4 Way	20" Adj Chrome	6502M	-	-	-	-
		Large	24" – 34"	2 Way	20" Adj Chrome	6500	-	-	-	-
				3 Way	20" Adj Chrome	6501	-	-	-	-
				4 Way	20" Adj Chrome	6502	-	-	-	-
	27" Polished Aluminum	Medium	21 ½" – 31 ½"	2 Way	20" Adj Chrome	9550M-S	9550M-E	9550M-C1	9550M-C2	9550M-E1
				3 Way	20" Adj Chrome	9551M-S	9551M-E	9551M-C1	9551M-C2	9551M-E1
				4 Way	20" Adj Chrome	9552M-S	9552M-E	9552M-C1	9552M-C2	9552M-E1
		Large	21 ½" – 31 ½"	2 Way	20" Adj Chrome	9550L-S	9550L-E	9550L-C1	9550L-C2	9550L-E1
				3 Way	20" Adj Chrome	9551L-S	9551L-E	9551L-C1	9551L-C2	9551L-E1
				4 Way	20" Adj Chrome	9552L-S	9552L-E	9552L-C1	9552L-C2	9552L-E1

ACCESSORIES

ARMS



A5
Standard and
CR Models



A8
ESD & ESD/CR
Models

**ADDITIONAL MODELS AVAILABLE
VISIT BEVCO.COM**

CASTERS

Casters add
1" to seat
height range.



**HARD FLOOR
CASTERS**
Standard:
5-star: 3850S/5
Tubular: CADS/5
ESD: CARD5S



**CARPET
CASTERS**
Standard:
5-star: 3850/5
Tubular: CAD/5



SPECIALTY CASTERS
INTERVAL BRAKING
Standard: IBCS
ESD: IBCS-ESD



FEATURED MODEL
5501 with 3850S/5 casters
in royal blue fabric

UPHOLSTERED CHAIRS

8000 Series - ESD

5000 Series - Standard, CR, ECR

DORAL SERIES

BEVCO's DORAL series feature ergonomic upholstered chairs that adjust to fit most body types and workstations. Ergonomic benefits include a contoured waterfall seat cushion and an adjustable backrest with lumbar support for increased comfort during extended sitting durations. Available in multiple upholstery options, the DORAL offers versatile comfort with contemporary style.

ESD models meet ANSI/ESD STM12.1-2013 standards and feature six grounding points - ESD glides/casters and a brass drag chain.

Cleanroom models are certified by an independent laboratory to meet ISO 5 specifications of ISO 14644-1.

ESD/Cleanroom models meet both ESD and designated cleanroom standards.



DIMENSIONS

SEAT

18" W x 17 H
2 3/4" Thick

BACK

16" W x 10 H
2" Thick



AVAILABLE MODELS

Height Range	Base Style	Seat Height Adjustment	Adjustment Mechanism	Footring	Standard Model # Fabric	Standard Model # Vinyl	ESD Model #	Cleanroom ISO 5 Model #	ESD/CR ISO 5 Model #
DESK	25" Black Nylon	17" - 22"	2 Way	-	5000-F	5000-V	-	-	-
			3 Way	-	5001-F	5001-V	-	-	-
			4 Way	-	5002-F	5002-V	-	-	-
	25" Polished Aluminum	15 ½" - 21"	2 Way	-	5050-F	5050-V	8050	5050C2	5050E2
			3 Way	-	5051-F	5051-V	8051	5051C2	5051E2
			4 Way	-	5052-F	5052-V	8052	5052C2	5052E2
MID	27" Black Nylon	20 ½" - 28"	2 Way	18" Adj. Chrome	5300-F	5300-V	-	-	-
			3 Way	18" Adj. Chrome	5301-F	5301-V	-	-	-
			4 Way	18" Adj. Chrome	5302-F	5302-V	-	-	-
	27" Polished Aluminum	19" - 26 ½"	2 Way	18" Adj. Chrome	5350-F	5350-V	8350	5350C2	5350E2
			3 Way	18" Adj. Chrome	5351-F	5351-V	8351	5351C2	5351E2
			4 Way	18" Adj. Chrome	5352-F	5352-V	8352	5352C2	5352E2
	22" Black Tubular Steel	20" - 25"	2 Way	19" Welded Chrome	5200-F	5200-V	-	-	-
			3 Way	19" Welded Chrome	5201-F	5201-V	-	-	-
			4 Way	19" Welded Chrome	5202-F	5202-V	-	-	-
	22" Chrome Tubular Steel	20" - 25"	2 Way	19" Welded Chrome	5210-F	5210-V	8210	5210C2	5210E2
			3 Way	19" Welded Chrome	5211-F	5211-V	8211	5211C2	5211E2
			4 Way	19" Welded Chrome	5212-F	5212-V	8212	5212C2	5212E2
TALL	27" Black Nylon	23" - 33"	2 Way	18" Adj. Chrome	5500-F	5500-V	-	-	-
			3 Way	18" Adj. Chrome	5501-F	5501-V	-	-	-
			4 Way	18" Adj. Chrome	5502-F	5502-V	-	-	-
	27" Polished Aluminum	21 ½" - 31 ½"	2 Way	18" Adj. Chrome	5550-F	5550-V	8550	5550C2	5550E2
			3 Way	18" Adj. Chrome	5551-F	5551-V	8551	5551C2	5551E2
			4 Way	18" Adj. Chrome	5552-F	5552-V	8552	5552C2	5552E2
	22" Black Tubular Steel	25" - 30"	2 Way	19" Welded Chrome	5600-F	5600-V	-	-	-
			3 Way	19" Welded Chrome	5601-F	5601-V	-	-	-
			4 Way	19" Welded Chrome	5602-F	5602-V	-	-	-
	22" Chrome Tubular Steel	25" - 30"	2 Way	19" Welded Chrome	5610-F	5610-V	8610	5610C2	5610E2
			3 Way	19" Welded Chrome	5611-F	5611-V	8611	5611C2	5611E2
			4 Way	19" Welded Chrome	5612-F	5612-V	8612	5612C2	5612E2

ACCESSORIES & UPHOLSTERY OPTIONS

ARMS



A5

Standard and CR Models



A8

ESD & ESD/CR Models



BACK UPGRADE

Medium Back: (MDB)

CASTERS

Casters add 1" to seat height range.



HARD FLOOR CASTERS

Standard:
5-star: 3850S/5
Tubular: CADS/5
ESD: CARD5S



CARPET CASTERS

Standard:
5-star: 3850/5
Tubular: CAD/5



SPECIALTY CASTERS

INTERVAL BRAKING
Standard: IBCS
ESD: IBCS-ESD

STANDARD



BLACK



GRAY



NAVY BLUE



ROYAL BLUE



BLACK VINYL



BLUE VINYL

ESD



EBONY



GRAY



NAVY BLUE



SLATE BLUE



BLACK VINYL



BLUE VINYL

CR & ESD/CR



BLACK VINYL



BLUE VINYL



FEATURED MODEL
Model V4507HC shown
with optional AV arms

UPHOLSTERED CHAIRS

V4 Series

LEXINGTON

BEVCO's VALUE-LINE LEXINGTON series delivers all of the outstanding ergonomic benefits of our standard upholstered seating solutions with a smaller range of configuration options.

This reliable chair was built to meet the demands of daily use. It's the perfect combination of comfort, style and affordability.



AVAILABLE COLORS



DIMENSIONS

SEAT
18" W x 18" D
2 ¾" Thick

BACK
16" W x 15" H
2" Thick



Height Range	Base Style	Casters or Glides	Seat Height Adjustment	Footring	Standard Model #
DESK	25" Black Nylon	Mushroom Glides	16" – 21"	-	V4007MG
		Carpet Casters	17" – 22"	-	V4007CC
		Hard Floor Casters	17" – 22"	-	V4007HC
MID	27" Black Nylon	Mushroom Glides	20" – 27 ½"	18" Adj. Chrome	V4307MG
		Carpet Casters	21" – 28 ½"	18" Adj. Chrome	V4307CC
		Hard Floor Casters	21" – 28 ½"	18" Adj. Chrome	V4307HC
TALL	27" Black Nylon	Mushroom Glides	23" – 33"	18" Adj. Chrome	V4507MG
		Carpet Casters	24" – 34"	18" Adj. Chrome	V4507CC
		Hard Floor Casters	24" – 34"	18" Adj. Chrome	V4507HC

V4 models can be ordered with optional arms - AV

UPHOLSTERED CHAIRS

V8 Series

LEXINGTON - E

BEVCO's VALUE-LINE LEXINGTON - E series delivers all of the outstanding ergonomic benefits of our standard ESD upholstered seating solutions with a smaller range of configuration options.

The LEXINGTON-E is a reliable chair that was built to meet the demands of daily use for environments that require some level of static discharge control but do not need to meet ANSI/ESD 12.1-2013 specifications. Static dissipative with a resistance of $10^5 - 10^9$ ohms when measured from seat/back to grounding chain only.



AVAILABLE COLOR



NAVY
BLUE

DIMENSIONS

SEAT
18" W x 18" D
2 3/4" Thick

BACK
16" W x 15" H
2" Thick



FEATURED MODEL
V850SHC

Height Range	Base Style	Casters or Glides	Seat Height Adjustment	Footring	ESD Model #
DESK	25" Black Nylon	Mushroom Glides	16" - 21"	-	V800SMG
		Carpet Casters	17" - 22"	-	-
		Hard Floor Casters	17" - 22"	-	V800SHC
MID	27" Black Nylon	Mushroom Glides	20" - 27 1/2"	18" Adj. Chrome	V830SMG
		Carpet Casters	21" - 28 1/2"	18" Adj. Chrome	-
		Hard Floor Casters	21" - 28 1/2"	18" Adj. Chrome	V830SHC
TALL	27" Black Nylon	Mushroom Glides	23" - 33"	18" Adj. Chrome	V850SMG
		Carpet Casters	24" - 34"	18" Adj. Chrome	-
		Hard Floor Casters	24" - 34"	18" Adj. Chrome	V850SHC



UPHOLSTERED CHAIRS

4000 Series

WESTMOUND SERIES

BEVCO's WESTMOUND series offer a wide contoured seat as well as a curved backrest with scuff resistant back pan for improved lumbar support and durability. The resilient high-density foam provides years of long-lasting comfort and support.

Cleanroom models are certified by an independent laboratory to meet ISO 6 specifications of ISO 14664-1. ESD/Cleanroom models meet ANSI/ESD STM 12.1-2013 standards and ISO specifications.

STANDARD FEATURES

- Heavy-duty construction
- Variety of upholstered fabric and vinyl options that meet CAL 117 standards
- Easy-to-use pneumatic height adjustment available in desk, mid & tall height ranges
- Base styles offered in black nylon, polished aluminum & tubular steel
- High performance footring standard on mid and tall height ranges
- Variety of caster styles available

FEATURED MODEL

4500 with 3850S/5 casters in black fabric

DIMENSIONS

SEAT

20" W x 17" D x 2 ½" Thick

BACK

16" W x 10" H x 2" Thick

STANDARD



BLACK



GRAY



BLACK VINYL



NAVY BLUE



ROYAL BLUE



BLUE VINYL

CR & ESD/CR



BLACK VINYL



BLUE VINYL



UPHOLSTERED CHAIRS

2000 Series

EVANSTON SERIES

BEVCO's EVANSTON series is an economical, heavy duty, upholstered seating solution for production lines or industrial applications.

Certain EVANSTON models are constructed with a durable and decorative vinyl trim surrounding the sides of the seat as well as a scuff resistant back pan.

ESD models meet ANSI/ESD STM12.1-2013 standards and feature six grounding points - ESD glides/casters and a brass drag chain. Navy fabric only.

STANDARD FEATURES

- Easy manual seat height adjustment with threaded stem and handwheel
- Thick, comfortable upholstered seat with durable high density foam - Seat foam density: 2 ½ lb., 55 IFD
- Fully adjustable contoured back for improved lumbar support
- Plastic glides standard

STANDARD



BLACK



NAVY BLUE



BLACK VINYL



BLUE VINYL



BLACK WITH
BLACK VINYL
TRIM



GRAY WITH
BLACK VINYL
TRIM



BLUE WITH
ROYAL BLUE
VINYL TRIM

ESD



NAVY BLUE



FEATURED MODEL

2700/5 in black fabric with vinyl trim

DIMENSIONS

SEAT

16 ½" W x 15" D x 3 ¾" Thick

BACK

16" W x 10" H x 2" Thick





UPHOLSTERED CHAIRS

10,000 Series

CARRINGTON SERIES

BEVCO's CARRINGTON series provides unprecedented comfort and ergonomic adjustability at a high weight capacity.

The easy-to-use ratchet-back system with built-in lumbar support and free-float feature provide a personalized fit for outstanding back support.

The rocker tilt control helps reduce back pain, muscle aches and stress.

ESD models available.

STANDARD FEATURES

- Easy-to-use pneumatic height adjustment of 19" - 22"
- The 4" thick seat, constructed of ¾" 14 ply hardwood and high density foam
- Waterfall seat for greater circulation & comfort
- Upholstered fabric and vinyl - meet CAL 117 standards
- 28" heavy-duty 5-legged black nylon base for stability
- Large contoured back provides full ergonomic lumbar support
- Free-float back tilt, multi-lock positioning
- Internal ratchet system for easy back height adjustments
- Rocker-tilt control for infinite adjustability
- Heavy duty carpet casters

FEATURED MODEL

10,000

DIMENSIONS

SEAT

26" W x 22" D
4" Thick

BACK

22" W x 22" H
4" Thick



PLYWOOD CHAIRS

1000 Series

PLYWOOD SERIES

ERGONOMIC DURABILITY AND PERFORMANCE

BEVCO'S PLYWOOD 1000 chair backs are made of 3/8" formed 5-ply maple plywood and seats are made of 3/8" 7-ply maple plywood. The wood is double sanded and double lacquer dipped, giving the 1000 series chairs a durable finish.

Metal parts are powder-coated providing high levels of scratch and chip resistance.

STANDARD FEATURES

- Manual seat height adjustment
- Waterfall seat to aid lower body circulation
- Fully adjustable back: 3" vertical, 5" horizontal
- Model 1411: 5" horizontal only
- Variety of black tubular steel base styles available
- Plastic glides standard
- Stationary or swivel options

DIMENSIONS

SEAT

15 1/2" W x 13 7/8" D
3/8" Thick

BACK

14 1/8" W x 6" H
3/8" Thick



FEATURED MODEL
1502/5





FEATURED MODEL
3050-V in blue vinyl

BACKLESS STOOLS

3000 Series

VERSA SERIES

The sturdy construction and modern design make these stools ideal for a wide range of applications including general office, medical, laboratory and factory. Seat available in polyurethane, fabric or vinyl. Upholstered options meet CAL 117 standards.

ESD models are static dissipative when measured according to the ANSI/ESD STM 12.1-2013 standards. Cleanroom models have been tested to ISO 4 and ISO 5 by an independent laboratory to certify compliance with ISO 14664-1. ESD/Cleanroom models meet both ESD and designated cleanroom standards.

DIMENSIONS

POLYURETHANE SEAT

14" diameter
2" seat thickness


VINYL OR FABRIC SEAT

16" diameter
2 3/4" seat thickness



Height Range	Base Style	Seat Height Adjustment	Seat Type	Standard Model #	ESD Model #	Cleanroom ISO 4 Model #	Cleanroom ISO 5 Model #	ESD/CR ISO 5 Model #
DESK	25" Black Nylon	15" – 20"	Polyurethane	3000-P	-	-	-	-
		16" – 21"	Fabric	3000-F	-	-	-	-
		16" – 21"	Vinyl	3000-V	-	-	-	-
	25" Polished Aluminum	14 1/2" – 19 1/2"	Polyurethane	3050-P	-	3050C1-P	-	-
		15 1/2" – 20 1/2"	Fabric	3050-F	3050E-F	-	-	-
		15 1/2" – 20 1/2"	Vinyl	3050-V	3050E-V	-	3050C2-V	3050E2-V
MID	25" Black Nylon	18 1/2" – 26"	Polyurethane	3300-P	-	-	-	-
		19 1/2" – 27"	Fabric	3300-F	-	-	-	-
		19 1/2" – 27"	Vinyl	3300-V	-	-	-	-
	25" Polished Aluminum	17 1/2" – 25"	Polyurethane	3350-P	-	3350C1-P	-	-
		18 1/2" – 26"	Fabric	3350-F	3350E-F	-	-	-
		18 1/2" – 26"	Vinyl	3350-V	3350E-V	-	3350C2-V	3350E2-V
	22" Black Tubular Steel	18" – 23"	Polyurethane	3200-P	-	-	-	-
		19" – 24"	Fabric	3200-F	-	-	-	-
		19" – 24"	Vinyl	3200-V	-	-	-	-
	22" Chrome Tubular Steel	18" – 23"	Polyurethane	3210-P	-	3210C1-P	-	-
		19" – 24"	Fabric	3210-F	3210E-F	-	-	-
		19" – 24"	Vinyl	3210-V	3210E-V	-	3210C2-V	3210E2-V
TALL	25" Black Nylon	22" – 32"	Polyurethane	3500-P	-	-	-	-
		23" – 33"	Fabric	3500-F	-	-	-	-
		23" – 33"	Vinyl	3500-V	-	-	-	-
	25" Polished Aluminum	20 1/2" – 30 1/2"	Polyurethane	3550-P	-	3550C1-P	-	-
		21 1/2" – 31 1/2"	Fabric	3550-F	3550E-F	-	-	-
		21 1/2" – 31 1/2"	Vinyl	3550-V	3550E-V	-	3550C2-V	3550E2-V
	22" Black Tubular Steel	23" – 28"	Polyurethane	3600-P	-	-	-	-
		24" – 29"	Fabric	3600-F	-	-	-	-
		24" – 29"	Vinyl	3600-V	-	-	-	-
	22" Chrome Tubular Steel	23" – 28"	Polyurethane	3610-P	-	3610C1-P	-	-
		24" – 29"	Fabric	3610-F	3610E-F	-	-	-
		24" – 29"	Vinyl	3610-V	3610E-V	-	3610C2-V	3610E2-V

STANDARD



ESD



CR & ESD/CR



BACKLESS STOOLS

J/S3000 Series

ERGOLUX SERIES

Experience extreme stress-relief with the BEVCO ERGOLUX backless stools. The ultimate in comfort and durability that responds to your body's unique shape, weight and temperature.

Super soft, high-density visco-elastic memory foam seat provides resilient, long-lasting ergonomic support. Extra thick, soft and supportive foam is covered by puncture, water and stain-resistant polyurethane.



ERGOLUX JR.
FEATURED MODEL
J3050 in graphite

Height Range	Base Style	Seat Height Adjustment	Model #
DESK	25" Black Nylon	16 1/4" - 21 1/4"	J3000
	25" Polished Aluminum	20" - 27 1/4"	J3050
MID	25" Black Nylon	16" - 21 1/2"	J3300
	25" Polished Aluminum	20" - 27"	J3350

ERGOLUX
FEATURED MODEL
S3500R with optional
footring and backrest



ERGOLUX

Height Range	Base Style	Seat Height Adjustment	Stool Only Model #	Stool w/Backrest Model #
DESK	25" Black Nylon	18" - 22 1/2"	S3000	S3000R
	25" Polished Aluminum	16" - 21 1/2"	S3050	S3050R
MID	25" Black Nylon	21" - 28 1/4"	S3300	S3300R
	25" Polished Aluminum	20 1/2" - 27 3/4"	S3350	S3350R
	22" Black Tubular Steel	20 1/2" - 25 1/2"	S3200	S3200R
	22" Chrome Tubular Steel	20 1/2" - 25 1/2"	S3210	S3210R
TALL	25" Black Nylon	24" - 34"	S3500	S3500R
	25" Polished Aluminum	23 1/2" - 33 1/2"	S3550	S3550R
	22" Black Tubular Steel	25 1/4" - 30 1/4"	S3600	S3600R
	22" Chrome Tubular Steel	25 1/4" - 30 1/4"	S3610	S3610R



STANDARD



BLACK

GRAPHITE

MAINTENANCE REPAIR STOOL
FEATURED MODEL
3057



BACKLESS STOOLS

REPAIR STOOL SERIES

BEVCO's REPAIR STOOL is ideal for use in machine shops, warehouses, and industrial applications where you would have to bend or crouch down to complete your work.

Includes a space for tools on the convenient plastic tool tray underneath the seat.

STANDARD FEATURES

- Polyurethane seat is impervious to water, oil and most chemicals
- Easy-to-use pneumatic height adjustment
- Puncture resistant
- Easy-to-clean
- 16" diameter plastic storage tray



VALUE-LINE
FEATURED MODEL
V3081P



SIT STANDS

SIT STAND SERIES

BEVCO's SIT STAND promotes "dynamic" standing for people who are not able to sit throughout the workday.

STANDARD FEATURES

- Black polyurethane seat is impervious to water, oil and most chemicals
- Texture provides non-slip surface
- Puncture resistant
- Easy-to-clean
- 25" sturdy 5-star black nylon base
- Easy-to-use pneumatic height adjustment 22-32"
- Casters are not available on sit stands for safety reasons



FEATURED MODEL
3505



ERGO DELUXE
FEATURED MODEL
D3505





Seating is a personal experience.



Work with an authorized BEVCO distributor to evaluate any chair for 30 days.



Sample chairs are made to your exact specifications and are shipped out within 48 hours so you can begin enjoying the BEVCO difference within days.



Find your best fit with our sample program.



Contact us if you need help finding an authorized BEVCO distributor at 800-864-2991 or sales@bevco.com

How to Measure Seat Height Range

STEP ONE: Sitting Elbow Height Range


Measure the height from the floor to the top of your work surface.

STEP TWO: Calculate Seat Height

Calculate the optimal seat height range by subtracting 10" from the work surface height. This calculation should be the mid-point of the chair's seat height range.

Your seat height range should adjust at least 2.5" above and 2.5" below this midpoint.

It's important to select the right chair that conforms to the body and environment. Evaluate features such as seat size and depth, back height, arm height, chair height, and tilt tension.






The BEVCO Difference


Over the years, we have continued to invest in better materials, methods and manufacturing practices to help improve the overall health and wellness of those using our chairs and stools. BEVCO partners with the very best supply chain, offers our chairs at competitive prices and provides excellent post-sale support to guarantee that you are receiving the lowest total cost of ownership when you invest in a BEVCO product.

Use BEVCO's advanced online chair configurator to find your optimal chair or stool. Input basic information about your environment, color/material, and size requirements and let BEVCO find the perfect seating solution for you!

Build your chair today!

BEVCO.com/build





Handcrafted



OfficeMart

#Sololosmejoresmuebles

CONTÁCTANOS



MXL. (686) 558 7874
TJN. (664) 689 2823
ENS. (646) 144 6382



ventas@oficemart.mx



oficemart.mx



OfficeMart